

Ford Motor Company  
FCSD/SEO  
FBP IV  
Allen Park, MI 48101  
Tel: 1-313-805-8942  
Date: November 21, 2019

Godson Nnorom Jr./ Chris Clarkson  
Technical Manager  
Moove Lubricant Limited  
Dering Way  
Gravesend, Kent  
DA12 2QX, United Kingdom

**Ref: Moove Lubricant Limited Request for Claiming Ford WSS-M2C913-D Spec for Comma Xtech 5W-30 at the Gravesend, Kent plant.**

Gentleman:

Ford acknowledges your claim to Ford WSS-M2C913-D specification for the Comma Xtech 5W-30 engine oil (Moove Code: XTC\*L)

However, please ensure that you adhere to this formulation including the additive types, additive treat rates and the base oils and ratios used for blending. Ford has the right to take samples, request analysis of the blends, and, if requirements are not met, has the right to require you to remove the acknowledgement and any references to Ford from the product, this also includes any literature on the product making the same references.

This acknowledgement is only for the product listed above and is applicable for as long as the product is in production. No formulation changes are permitted. Any planned formulation changes will be reviewed with a Ford Lubricant engineer prior to implementation to determine if re-testing is required. Formulation changes not disclosed to Ford Lubricant Engineering will result in immediate acknowledgement removal.

Ford hereby excludes all liability whatsoever for the above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

**This acknowledgement from Ford in no way implies that Ford is recommending the oil / additive. In no circumstances can any actual or implied recommendation be made to third parties. Suppliers should NOT use phrases such as 'approved' or 'recommended' by Ford in their publications.**

Yours sincerely,

*/s M. D. Deegan*

**Mr. Michael Deegan**  
Lubricant Engineer  
[mdeegan@ford.com](mailto:mdeegan@ford.com)  
313-390-6271



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
03.03.2023

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-176550

Date  
11.04.2023

**MB-Approval Certificate** - Changing the Formulation - Engine Oil - Reblend

MB-Approval 229.31/229.51/229.52 for: "Comma Syner-Z 5W-30 " SAE-Grade: 5W-30

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.31/229.51/229.52 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed on the Mercedes-Benz Operating Fluids website <https://operatingfluids.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.
- Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@mercedes-benz.com](mailto:dialog.mb@mercedes-benz.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sabine Kohleisen, Markus Schäfer, Britta Seeger, Hubertus Troska, Harald Wilhelm



and Mercedes-Benz are registered trademarks of Mercedes-Benz Group AG, Stuttgart, Germany.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
28.05.2020

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-132066

Date  
27.08.2020

**MB-Approval Certificate** - Additional Formulation - Engine Oil - Reblend  
Additional MB-Approval 228.3 for: „TransFlow AD 10W-40“

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE  
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Ralf Krukenberg

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Frank Lindenberg, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
28.05.2020

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-132068

Date  
27.08.2020

**MB-Approval Certificate** - Additional Formulation - Engine Oil - Reblend  
Additional MB-Approval 228.3 for: „TransFlow SD 15W-40“

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE  
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Ralf Krukenberg

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht / Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats / Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand / Board of Management: Ola Källenius, Vorsitzender / Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Frank Lindenberg, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland / are registered trademarks of Daimler AG, Stuttgart, Germany.





Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
26.07.2022

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-169528

Date  
24.09.2022

**MB-Approval Certificate** - New Approval - Engine Oil - Reblend  
MB-Approval 228.51 for: "Comma TransFlow UD 10W-40",  
SAE-Grade: 10W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed on the Mercedes-Benz Operating Fluids website <https://operatingfluids.mercedes-benz.com> or <https://operatingfluids.mercedes-benz-trucks.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Ralf Krukenberg

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brünigge, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger



and Mercedes-Benz are registered trademarks of Mercedes-Benz Group AG, Stuttgart, Germany.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
17.09.2019

Unser Zeichen, unsere Nachricht vom/  
Our reference  
RD/PMI-113482

Datum/Date  
10.12.2019

### MB-Approval Certificate

Additional Formulation - Engine Oil - Reblend

Additional MB-Approval 229.3 for: „COMMA Syner-G 5W-40“  
SAE-Grade: 5W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE  
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 170 | T/F +49 711 17 22 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 762873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Frank Lindenberg, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/are registered trademarks of Daimler AG, Stuttgart, Germany.



Volvo Group Trucks Technology

## STD 417-0002 approval

Company name:\* Moove Lubricants Limited  
Product name:\* Comma TransFlow AD 10W-40  
Viscosity grade: 10W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** January 16, 2019 **Approval #:** 417-0002-19-1856

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



RENAULT TECHNOLOGIE ROUMANIE  
RO CTT A06 1 01, Titu, jud.Dambovită  
Str.Aviatorilor, Nr.1, Cod 135500

Téléphone : +40751021700  
gabriel-alexandru.serban@renault.com

RENAULT TECHNOLOGIE ROUMANIE

API : RO CTT A06 1 01

Andreea – Madalina SALAVASTRU

Ref. QBT7300-2023-22534

05/04/2023

**Attention: Rafal Czekaj**  
**Company: Moove Lubricants Ltd.**  
**Address: Dering Way, Gravesend,**  
**Kent DA12 2QX, UK**

**Obiect :** RN Certification – Moove Lubricants Ltd. – Renault approval.

Dear Mr. Rafal Czekaj ,

I am pleased to send you the Renault certificate. Here you can find some details about your RN after sale engine oil :

➤ **Comma Ecoren 5W-30**  
(C4-21)      SAE 5W-30      **RN720-23-06**

The certification is effective for 4 years, until **05/04/2027**.

Thank you for your cooperation.

Kind Regards,

**Gabriel-Alexandru SERBAN**  
Polymers & Fluids Team Leader

*Enc : 1 Certificate.*

**RENAULT Property**

Confidential C



# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Moove Lubricants Limited  
Mr. Rafal Czekaj  
Dering Way, Gravesend, Kent.  
DA12 2QX England  
United Kingdom



RC

31.05.2023

1437-eh-lf

9-43156

9-32371

engine.oil.approvals.vwag.r.wob@volkswagen.de

IHRE ZEICHEN

IHRE NACHRICHT

UNSERE ZEICHEN

DURCHWAHL

TELEFAX

E-MAIL

12.06.2023

DATUM

## Engine Oil

Dear Mr. Czekaj,

Analysis of the engine oil

### Comma Eurolite SAE 10W-40

has shown that product in question meets the requirements in accordance with VW Standard 501 01 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**"approved under VW Standard 501 01 and VW Standard 505 00"**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Heinl



i.V.

Dr. Fölster

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
OLIVER BLUME –  
VORSITZENDER

ARNO ANTLITZ  
RALF BRANDSTÄTTER  
MANFRED DÖSS  
MARKUS DUESMANN  
GUNNAR KILIAN  
THOMAS SCHÄFER  
THOMAS SCHMALL-VON WESTERHOLT  
HAUKE STARS

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/docu-ments/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

moove Lubricants Limited  
Mr. Chris Clarkson  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

CC  
SK 18.05.2020  
1437-eh-lf  
9-43156  
9-32371

engine.oil.approvals.vwag.r.wob@volkswagen.de

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

29.08.2020

DATUM

## Engine Oil

Dear Mr. Chris Clarkson,

Analysis of the engine oil

### Comma Prolife SAE 5W-30

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:


**"approved under VW Standard 504 00 and VW Standard 507 00"**

This approval is only valid for the following production site:


**Moove Lubricants Operations Plant, Dering Way, Gravesend, Kent, DA12 2QX, United Kingdom**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V. 

Dr. Heini

i.V. 

Dr. Fölster

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws.

Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER POTTSCH

VORSTAND:  
HERBERT DIESS –  
VORSITZENDER

OLIVER BLUME  
MARKUS DUESMANN  
GUNNAR KILIAN  
ANDREAS RENSCHLER  
STEFAN SOMMER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

# VOLKSWAGEN

AKTIENGESELLSCHAFT


VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Moove Lubricants Limited  
Mr. Andrew Carter  
Dering Way, Gravesend, Kent  
DA12 2QX  
UK

ac  
02.11.2021  
1437-eh-lf  
9-43156  
9-32371

engine.oil.approvals.vwag.r.web@volkswagen.de

10.11.2021

  
IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL  
DATUM

## Engine Oil

Dear Mr. Cartér,

Analysis of the engine oil

### COMMA PD PLUS SAE 5W-40


has shown that product in question meets the requirements in accordance with VW 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:


**"approved under VW Standard 505 00 and VW Standard 505 01"**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V. 

Dr. Heini

i.V. 

Dr. Fölster

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER POTTSCH

VORSTAND:  
HERBERT DIESS –  
VORSITZENDER

MURAT AKSEL  
ARNO ANTLITZ  
OLIVER BLUME  
MARKUS DUESMANN  
GUNNAR KILIAN  
THOMAS SCHMALL-VON WESTERHOLT  
HILTRUD D. WERNER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484



Moove Lubricants Limited  
Dering Way  
Gravesend DA12 2QX  
UK

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Rafal Czekaj

Issue Date: 10<sup>th</sup> May 2023

Dear Rafal,

**Jaguar Land Rover engine oil specification STJLR.51.5122**

Verification certificate for:

Your Brand: Comma Eco-M 0W-20

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.51.5122-21 for use in all Jaguar Land Rover vehicles where STJLR.03.5122 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.51.5122 on your packaging.

This verification is valid until 10<sup>th</sup> May 2028.

Yours faithfully,

..... Zakee Billa,  
Lead Engineer, Engine Lubricants.

..... Kadir Unuvar,  
Principal Engineer, Engine Castings and Lubrication.

J.Harris

..... Jon Harris,  
Chief Engineer, Engines Engineering.

For and behalf of  
Jaguar Land Rover Limited.





Moove Lubricants Limited  
Dering Way,  
Gravesend,  
Kent. DA12 2QX

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Rafal Czekaj

Issue Date: 16<sup>th</sup> February 2023

Dear Czekaj,

**Jaguar Land Rover engine oil specification STJLR.03.5004**

Verification certificate for:

Your Brand: Comma Eco-F 5W-20

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5004 for use in all Jaguar Land Rover vehicles where STJLR.03.5004 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5004 on your packaging.

This verification is valid until 16<sup>th</sup> February 2028.

Yours faithfully,

..... Zakee Billa,  
Lead Engineer, Engine Lubricants.

..... Kadir Unuvar,  
Principal Engineer, Engine Castings and Lubrication.

J.Harris

..... Jon Harris,  
Chief Engineer, Engines Engineering.

For and behalf of  
Jaguar Land Rover Limited.



Volvo Group Trucks Technology

## STD 417-0002 approval

---

Company name:\* | Moove Lubricants Limited  
Product name:\* | Comma TransFlow SD 15W-40  
Viscosity grade: | 15W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** January 2, 2019      **Approval #:** 417-0002-19-1841

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Moove Lubricants Limited  
Dering Way  
Gravesend DA12 2QX  
UK

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Andrew Carter

Issue Date: 12<sup>th</sup> October 2021

Dear Andrew,

**Jaguar Land Rover engine oil specification STJLR.03.5005**

Verification certificate for:

Your Brand: Comma Ecolife 5W-30

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5005-16 for use in all Jaguar Land Rover vehicles where STJLR.03.5005 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5005 on your packaging.

This verification is valid until 12<sup>th</sup> October 2023.

Yours faithfully,

..... Zakee Billa,

Lead Engineer, Engine Lubricants.

..... Paolo Colombaioni,

Principal Engineer, Cooling, FIE, Pumps and Lubricants.

J. Harris

..... Jon Harris,

Chief Engineer, Engines Engineering.

For and behalf of

Jaguar Land Rover Limited.



**Volvo Car Corporation**

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Document Type

**APPROVAL FORM**

Product Type

**ENGINE OIL**

Area of Application

**SERVICE FILL**

Approval Revision

**003**

Page No

**1 (1)**

Date of Approval: [2021-04-27]

Expiry Date of Approval: [2023-06-30]

Document Name

**APPROVAL: ENGINE OIL 95200377 ACEA A5/B5 SAE 0W-30 – SERVICE FILL**

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

## Technical Approval

### Material Specification Information:

Specification Document No.: 95200377

Specification Name: ACEA A5/B5 SAE 0W-30 – Service Fill

Area of application: Aftermarket

Viscosity Grade: 0W-30

ACEA classification: A5/B5-16

### Supplier information:

Oil Company: Moove Lubricants Limited

Contact Name: Andrew Carter

Contact e-mail: Andrew.Carter@uk.moovelub.com

Contact Tel.: +44 1474 546 323

Product Name: Voltech 0W-30


Viscosity Grade: 0W-30

ACEA classification: A5/B5-16

Have there been any modifications since last approval: no

### Approver Information:

Approver Name: Per Hanarp

Signature: 

Title: Technical Specialist Fuels & Engine Oil Engineering

Department: 64112 Complete Engine System Studies & Design

Powertrain Engineering Sweden AB  
Registered Office Skövde | Sweden  
Registration No. 556830-5964

Powertrain Engineering Sweden AB is a wholly owned subsidiary of Volvo Car Corporation





**Volvo Car Corporation**

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED  
TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Document Type

**APPROVAL FORM**

Product Type

**ENGINE OIL**

Area of Application

**SERVICE FILL**

Approval Revision

**002**

Page No

**1 (1)**

Date of Approval: 2021-04-27

Expiry Date of Approval: 2023-06-30

Document Name

**APPROVAL: ENGINE OIL VCC RBS0-2AE 0W-20 – SERVICE FILL**

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

## Technical Approval

### Material Specification Information:

Specification Document No.: 8751149

Specification Name: VCC RBS0-2AE 0W-20 – Service Fill

Area of application: After Market

Viscosity Grade: 0W-20

ACEA classification: C5-16

### Supplier information:

Oil Company: Moove Lubricants Limited

Contact Name: Andrew Carter

Contact e-mail: Andrew.Carter@uk.moovelub.com

Contact Tel.: +44 1474 546 323

Product Name: Comma ECO-V 0W-20


Viscosity Grade: 0W-20

ACEA classification: C5-16

Modifications since last approval: no

### Approver Information:

Approver Name: Per Hanarp

Signature: 

Title: Technical Specialist Fuels & Engine Oil Engineering

Department: 64112 Complete Engine System Studies & Design

Powertrain Engineering Sweden AB  
Registered Office Skövde | Sweden  
Registration No. 556830-5964

Powertrain Engineering Sweden AB is a wholly owned subsidiary of Volvo Car Corporation

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Moove Lubricants Limited  
Mr. Rafal Czekaj  
Dering Way, Gravesend, Kent.  
DA12 2QX England  
United Kingdom

JP  
RG  
31.05.2023  
1437-eh-lf  
9-43156  
9-32371

engine.oil.approvals.vwag.r.wob@volkswagen.de

12.06.2023

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

DATUM

## Engine Oil

Dear Mr. Czekaj,

Analysis of the engine oil

### Comma Syner-G SAE 5W-40


has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:


**"approved under VW Standard 502 00 and VW Standard 505 00"**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V. 

Dr. Heint

i.V. 

Dr. Fölster

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
OLIVER BLUME –  
VORSITZENDER

ARNO ANTLITZ  
RALF BRANDSTÄTTER  
MANFRED DÖSS  
MARKUS DUESMANN  
GUNNAR KILIAN  
THOMAS SCHÄFER  
THOMAS SCHMALL-VON WESTERHOLT  
HAUKE STARS

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd  
Attn. Mr. Chris Clarkson  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/  
Your reference

02.02.2018

Unser Zeichen, unsere Nachricht vom/  
Our reference

RD/PDI-F-88084

Name  
E-Mail

Mrs. Fuchs

Datum/Date

30.05.2018

## MB-Approval Certificate

New Approval - Engine Oil

### MB-Approval 228.51 for: "Comma Transflow 5W-30 LAPE"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE  
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Daimler AG

i.V. Johannes Leweux

i.V. Markus Paule

Daimler AG, Stuttgart, Germany  
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19360  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;  
Martin Daum, Renata Jungo Brüngger, Ola Källenius, Wilfried Porth,  
Britta Seeger, Hubertus Troska, Bodo Uebber

Daimler AG  
70546 Stuttgart  
Telefon/Phone +49 7 11 17-0  
Telefax/Fax +49 7 11 17-2 22 44  
dialog@daimler.com  
www.daimler.com



# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

moove Lubricants Limited  
Mr. Godson Nnorom-Junior  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

SK

gnj  
07.10.2020  
1437-eh-lf  
9-43156  
9-32371

engine oil approvals vwag.r.wob@volkswagen.de

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

03.11.2020

DATUM

## Engine Oil

Dear Mr. Godson Nnorom-Junior,

Analysis of the engine oil

### COMMA ECO-MB SAE 0W-40

has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:


**"approved under VW Standard 502 00 and VW Standard 505 00"**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V. 

Dr. Heini

i.V. 

Dr. Fölster

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER POTTSCH

VORSTAND:  
HERBERT DIESS –  
VORSITZENDER

OLIVER BLUME  
MARKUS DUESMANN  
GUNNAR KILIAN  
ANDREAS RENSCHLER  
STEFAN SOMMER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2018%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>





Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Moove Lubricants Limited  
Dering Way  
DA12 2QX GRAVESEND  
UNITED KINGDOM

T/P +49 711 17 24801  
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
08.04.2022

Unser Zeichen, unsere Nachricht vom/  
Our reference number  
RD/PMI-164551

Date  
30.05.2022

**MB-Approval Certificate** – New Approval – Engine Oil – Reblend  
MB-Approval 229.72 for: "Comma Eco-Z 0W-20"  
SAE-Grade: 0W-20

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.72 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed on the Mercedes-Benz Operating Fluids website <https://operatingfluids.mercedes-benz.com> or <https://operatingfluids.mercedes-benz-trucks.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely  
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | [dialog.mb@daimler.com](mailto:dialog.mb@daimler.com) | [www.mercedes-benz.com](http://www.mercedes-benz.com)

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873  
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder  
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger



and Mercedes-Benz are registered trademarks of Mercedes-Benz Group AG, Stuttgart, Germany.

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Moove Lubricants Limited  
Mr. Rafal Czekaj  
Dering Way, Gravesend  
Kent, DA12 2QX

FC  
10.05.2022  
1437-eh-lf  
9-43156  
9-32371  
engine.oil.approvals.vwag.r.wob@volkswagen.de

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

24.05.2022 DATUM

## Engine Oil

Dear Mr. Czekaj,

Analysis of the engine oil

### Comma Eco-LLP SAE 0W-20

has shown that product in question meets the requirements in accordance with VW Standard 508 00 and VW Standard 509 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**"approved under VW Standard 508 00 and VW Standard 509 00"**

This approval is only valid for the following production site:

**Moove Lubricants Limited, Dering Way, Gravesend, Kent, DA12 2QX**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V.

Dr. Heini

i.V.

Dr. Fölster

02.06.2022

Volkswagen AG

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS  
HANS DIETER POTSCH

VORSTAND:  
HERBERT DIESS –  
VORSITZENDER

MURAT AKSEL  
ARNO ANTLITZ  
OLIVER BLÜME  
MARKUS DÜESMANN  
GUNNAR KILLIAN  
THOMAS SCHMALL-VON WESTERHOLT  
HILTRUD D. WERNER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITE: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>



Moove Lubricants Limited  
Dering Way  
Gravesend DA12 2QX  
UK

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Rafal Czekaj

Issue Date: 30<sup>th</sup> March 2023

Dear Rafal,

**Jaguar Land Rover engine oil specification STJLR.03.5006**

Verification certificate for:

Your Brand: Comma Eco-FO 0W-20

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5006-21 for use in all Jaguar Land Rover vehicles where STJLR.03.5006 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5006 on your packaging.

This verification is valid until 30<sup>th</sup> March 2025.

Yours faithfully,

..... Zakee Billa,  
Lead Engineer, Engine Lubricants.

..... Kadir Unuvar,  
Principal Engineer, Engine Castings and Lubrication.

J.Harris

..... Jon Harris,  
Chief Engineer, Engines Engineering.

For and behalf of  
Jaguar Land Rover Limited.



Moove Lubricants Limited  
Dering Way  
Gravesend DA12 2QX  
UK

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Rafal Czekaj

Issue Date: 30<sup>th</sup> March 2023

Dear Rafal,

**Jaguar Land Rover engine oil specification STJLR.03.5007**

Verification certificate for:

Your Brand: Comma ECO-FE PLUS

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5007-21 for use in all Jaguar Land Rover vehicles where STJLR.03.5007 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5007 on your packaging.

This verification is valid until 30<sup>th</sup> March 2025.

Yours faithfully,

..... Zakee Billa,  
Lead Engineer, Engine Lubricants.

..... Kadir Unuvar,  
Principal Engineer, Engine Castings and Lubrication.

J.Harris

..... Jon Harris,  
Chief Engineer, Engines Engineering.

For and behalf of  
Jaguar Land Rover Limited.



OV Engineering Propulsion Systems  
Engine Hardware Engineering  
65423 Rüsselsheim  
IPC T2-01  
N. Appel  
[ovengineoil@stellantis.com](mailto:ovengineoil@stellantis.com)



OV Test Labs  
& Materials Engineering  
65423 Rüsselsheim  
IPC R2-50  
Dr. J. Meiners  
[ovengineoil@stellantis.com](mailto:ovengineoil@stellantis.com)

## Release Certificate

*for First Fill, Service & Aftersales Engine Oil*

Product Code  
Candidate Oil: **ECOFO / IME1904081-A**

Trading Name: **Comma Eco-FO 0W-20**

Company: **Moove Lubricants Ltd**

Address: **Dering Way  
Gravesand, DA12 2QX  
UK**


did show that it meets all requirements according to material specification OV 040 1547.  
Therefore this product can be labeled as approved according:

**OV 040 1547 - A20**

This product can be used in Opel / Vauxhall engines according respective first fill release and service literature.

This certificate expires at: **24<sup>th</sup> January 2026**

  
N. Appel  
Engineering Propulsion Systems  
Opel Automobile GmbH

  
für Dr. J. Meiners  
Test Labs & Materials Engineering  
Opel Automobile GmbH

Date: 24.January 2023

BMW AG  
80788 München

Moove Lubricants Limited  
Chris Clarkson  
Comma Works, Dering Way  
DA12 2QX Gravesend  
United Kingdom

Division

Your/Our Reference EOA-RBL-2023-03663  
Your message dated 07 March 2023  
Department/From EA-340  
Telephone +49-89-382-93293  
Fax  
E-mail Markus.SA.Schmidt@bmw.de  
Date 27 April 2023  
Subject **BMW approval for "Comma Syner-Z 5W-30", SAE 5W-30.**

Dear Mr. Clarkson,

**Company**  
Bayerische  
Motoren Werke  
Aktiengesellschaft

**Postal address**  
BMW AG  
80788 München

**Office address**  
Petuelring 130

**Office address**  
Forschungs- und  
Innovationszentrum (FIZ)  
Knorrstraße 147

**Telephone**  
Switchboard  
+49 89 382-0

**Fax**  
+49 89 382-70-25858

**Internet**  
www.bmwgroup.com

**Bank details**  
Deutsche Bank  
IBAN DE05 7007 0010  
0152 6946 00  
BIC DEUTDE33HAN

**Chairman of the  
Supervisory Board**  
Norbert Reithofer

**Board of Management**  
Oliver Zipse,  
Chairman  
Ilka Horstmeier  
Milan Nedeljković  
Pieter Nota  
Nicolas Peter  
Joachim Post  
Frank Weber

**Domicile and  
Court of Registry**  
München HRB 42243

Herewith we transfer the approval as "BMW Longlife-04" oil, given for engine oil code "XXXXXX" of "XXXXXX" to the Reblend oil "Comma Syner-Z 5W-30", SAE 5W-30 of Moove Lubricants. Consequently it is approved according to our release procedure for BMW Longlife engine oils (10<sup>th</sup> edition, June 2022) for the usage in BMW engines operating in compliance with our operating fluids manual.

This confirmation is valid for two years beginning with the date of this letter (provided that the reference formulation is still approved) and can be extended no more than two times for a maximum of two years in each case. Prolongations have to be requested within BFAS (BMW Fluid Approval System), the extension date can be taken from BFAS, reference EOA-RBL-2023-03663.

Engine oils produced using the code or brand names mentioned in this letter of confirmation have to comply with the tested oil sample in every respect. Any proposed alteration or modification to the lubricant has to be supplied to BMW in BFAS whereby a new approval may be granted.

Publication will ensue in the BMW Operating Fluids Manual as follows:

designation:	viscosity:	company:
Comma Syner-Z 5W-30	SAE 5W-30	Moove Lubricants

Yours sincerely  
Bayerische Motoren Werke Aktiengesellschaft

i.V. *Schreitmüller*

Markus Schreitmüller  
Department Manager Development Mechanics  
Petrol Engine and Electric Drive Unit

i.A.

*Schmidt*

Markus Schmidt  
Required System Design, Operating Fluids